

2020

[DOCUMENT TITLE]

[DOCUMENT SUBTITLE]

AUTHOR



GHENT UNIVERSITY
GLOBAL CAMPUS

TITLE: LaTeX TEMPLATE FOR A BACHELOR'S THESIS AT GHENT UNIVERSITY GLOBAL CAMPUS

SUBTITLE: VERSION 1.3

First name Surname

Student number:

Supervisor(s): Prof. Dr. Name Surname

Counsellor(s): Name Surname

A thesis submitted to Ghent University in partial fulfilment of the requirements for the degree of Bachelor of Science in ...

Department of Environmental Technology, Food Technology and Molecular Biotechnology


Chair: Prof. Dr. Taejun Han

Ghent University Global Campus

Academic year: 20xx - 20yy



This bachelor's project was conducted at the
Center for Biotech Data Science



EVALUATION COMMITTEE

Prof. Dr. Name Surname (Name of Institute, promoter)

Prof. Dr. Name Surname (Name of Institute, co-promoter)

Prof. Dr. Name Surname (Name of Institute)

Prof. Dr. Ir. Name Surname (Name of Institute)

Prof. Dr. Ir. Name Surname (Name of Company)

ACKNOWLEDGMENT

Here goes the acknowledgment.

Name Surname
Songdo, dd-mm-yyy

PERMISSION FOR USAGE

"The author(s) gives (give) permission to make this bachelor's thesis available for consultation and to copy parts of this bachelor's thesis for personal use. In the case of any other use, the copyright terms have to be respected, in particular with regard to the obligation to state expressly the source when quoting results from this bachelor's thesis."

STUDENT'S NAME:

STUDENT'S SIGNATURE:

DATE: dd-mm-yyy

SUMMARY

Here comes the summary (about 15 to 20 lines, using multiple paragraphs), as shown below. The text of the summary makes use of 1.5 line spacing.

Deoxyribonucleic acid is a molecule that carries the genetic instructions used in the growth, development, functioning and reproduction of all known living organisms and many viruses. DNA and ribonucleic acid (RNA) are nucleic acids; alongside proteins, lipids and complex carbohydrates (polysaccharides), they are one of the four major types of macromolecules that are essential for all known forms of life. Most DNA molecules consist of two biopolymer strands coiled around each other to form a double helix.

The two DNA strands are called polynucleotides since they are composed of simpler monomer units called nucleotides. Each nucleotide is composed of one of four nitrogen-containing nucleobases (cytosine [C], guanine [G], adenine [A] or thymine [T]), a sugar called deoxyribose, and a phosphate group. The nucleotides are joined to one another in a chain by covalent bonds between the sugar of one nucleotide and the phosphate of the next, resulting in an alternating sugar-phosphate backbone. The nitrogenous bases of the two separate polynucleotide strands are bound together, according to base pairing rules (A with T and C with G), with hydrogen bonds to make double-stranded DNA.

Keywords

Here come the comma-separated keywords (3 to 5 capitalized keywords in alphabetical order), as shown below.

DNA, Double Helix, Genetic Information, Macromolecules, Nucleic Acids

ABBREVIATIONS

A Adenine

C Cytosine

DNA Deoxyribonucleic acid

G Guanine

RNA Ribonucleic acid

T Thymine

Contents

EVALUATION COMMITTEE	viii
ACKNOWLEDGMENT	x
PERMISSION FOR USAGE	xii
SUMMARY	xiv
ABBREVIATIONS	xvi
1 INTRODUCTION	1
1.1 CONTEXT	1
1.2 CONTRIBUTIONS	1
1.3 OUTLINE	1
2 SECOND CHAPTER	2
2.1 SUB-CHAPTER	2
2.2 SUB-CHAPTER	2
2.3 SUB-CHAPTER	2
3 THIRD CHAPTER	3
3.1 SUB-CHAPTER	3
3.2 SUB-CHAPTER	3
3.3 SUB-CHAPTER	3
4 FOURTH CHAPTER	4
4.1 SUB-CHAPTER	4
4.2 SUB-CHAPTER	4
4.3 SUB-CHAPTER	4
5 FIFTH CHAPTER	5
5.1 SUB-CHAPTER	5
5.2 SUB-CHAPTER	5
5.3 SUB-CHAPTER	5
6 CONCLUSIONS AND FUTURE WORK	6
6.1 SUB-CHAPTER	6
6.2 SUB-CHAPTER	6
6.3 SUB-CHAPTER	6

1 INTRODUCTION

Here comes some text. This text makes use of 1.5 line spacing.

1.1 CONTEXT

Here comes some text. This text makes use of 1.5 line spacing.

1.2 CONTRIBUTIONS

Here comes some text. This text makes use of 1.5 line spacing.

1.3 OUTLINE

Here comes some text. This text makes use of 1.5 line spacing.

2 SECOND CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

2.1 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

2.2 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

2.3 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

3 THIRD CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

3.1 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

3.2 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

3.3 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

4 FOURTH CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

4.1 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

4.2 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

4.3 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

5 FIFTH CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

5.1 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

5.2 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

5.3 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

6 CONCLUSIONS AND FUTURE WORK

Here comes some text. This text makes use of 1.5 line spacing.

6.1 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

6.2 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

6.3 SUB-CHAPTER

Here comes some text. This text makes use of 1.5 line spacing.

APPENDIX A

Here comes some text. This text makes use of 1.5 line spacing.

APPENDIX B

Here comes some text. This text makes use of 1.5 line spacing.
In order to cite use [1], [2], [3], [4]

References

- [1] Sergei Bernšteïn. Démonstration du théoreme de Weierstrass fondée sur le calcul des probabilités. *Comm. Soc. Math. Kharkov*, 13:1–2, 1912.
- [2] Pierre Bézier and Salah Sioussiou. Semi-automatic system for defining free-form curves and surfaces. *Computer-Aided Design*, 15(2):65–72, 1983.
- [3] Nicolas Le Novère, Benjamin Bornstein, Alexander Broicher, Melanie Courtot, Marco Donizelli, Harish Dharuri, Lu Li, Herbert Sauro, Maria Schilstra, Bruce Shapiro, et al. Biomodels database: a free, centralized database of curated, published, quantitative kinetic models of biochemical and cellular systems. *Nucleic Acids Research*, 34:D689–D691, 2006.
- [4] Johann Rohwer, Norman Meadow, Saul Roseman, Hans Westerhoff, and Pieter Postma. Understanding glucose transport by the bacterial phosphoenolpyruvate: glycolate phosphotransferase system on the basis of kinetic measurements in vitro. *Journal of Biological Chemistry*, 275(45):34909–34921, 2000.